

사례 보고(Case Report): 제목 및 초록 작성 가이드라인

아래 가이드라인 및 샘플은 의료 사례 보고서의 제목 및 초록을 구성하는데 도움이 됩니다.

타겟 저널 포매팅

이 가이드라인의 내용은 대부분의 의학 저널에 투고하는 사례 보고에 일반적으로 적용될 수 있지만, 각 저널은 “Instructions for authors”, “Author guidelines” 또는 “Preparing your manuscript”에 각자의 내용 및 형식에 대한 지침을 포함하고 있습니다. 따라서 타겟 저널 포매팅을 잘 확인해야 하며 다양한 의학 사례 보고서를 읽어 특정 저널에서 사용하는 다양한 포매팅 스타일을 이해하는 것이 좋습니다.

사례 보고 저널

사례 보고서를 전문으로 하는 많은 저명한 저널이 있으며, 그 중 많은 저널이 오픈 액세스 출판물입니다. 몇 가지 예는 다음과 같습니다: [Journal of Medical Case Reports](#), [Oxford Medical Case Reports](#), [BJR Case Reports](#), [International Journal of Surgery Case Reports](#).

사례 보고 제목

독자가 가장 처음 접하는 제목은 정보를 요약하고 주제와 관련성이 있으며 간결해야 합니다. 또한 연구원 및 다른 저널 독자들의 주목을 끌 수 있어야 합니다.

제목에 포함할 유용한 용어:

- 사례 관련 용어: *presentation, unusual case, rare case, challenges, complications, symptoms, causes, diagnosis, treatment*
- 환자 관련 용어: *patient, adult, child, infant, adolescent, elderly, man/woman*

사례 연구 및 사례 보고와 같은 용어는 이미 내포되어 독자의 흥미를 떨어뜨릴 수 있기 때문에 이를 사용하는 것에 있어서 주의해야 합니다.

사례 보고 초록

초록은 간결하고 독자가 논문의 본문을 읽기 전에 이해할 수 있을 만큼 명확해야 합니다.

초록 구성

1. 배경 (1-2 문장)— 이 사건이 보고된 이유와 이 사례 보고가 새로운 이유 또는 임상적인 관련성에 대해 설명합니다.

| 포함할 배경 정보 | 예시 |
|--------------|--|
| 상태/시술/ 치료 | “Inferior glenohumeral joint dislocations are rare. Due to severe swelling and overlapping of bones on an x-ray of the wrist and hand, dislocations are missed.” |

| | |
|-------------------|--|
| 해당 사례의 중요성 | “The objective of this clinical case report is to highlight this unusual injury to avoid incorrect diagnosis.” |
|-------------------|--|

2. 사례 발표 (3-6 문장)— 환자의 의학적 및 인구 통계학적 내용, 진단 내용 및 증재 또는 합병증에 대한 간략한 설명과 결과를 간략히 설명합니다.

| 포함할 사례 정보 | 예시 |
|--------------------------------|---|
| 환자 인구 통계 (연령, 성별, 국적 등) | “A 35-year-old man”; “a 1-month-old infant”; “a 12-year-old Somali girl,” etc. |
| 증상 | “Demonstrated typical signs and symptoms of Huntington’s Disease”; “presented to the hospital with severe chest pain”; “experienced a burning sensation due to swollen leg muscles” |
| 과거 병력/증상 | “Reported a long history of asthma”; “had a family history of colon cancer on the maternal side”; “reported that inflammation had begun one year prior” |
| 진단 | “Based on the characteristic appearance of the cutaneous lesions, a diagnosis of granuloma annulare was made”; “a clinical diagnosis of chronic respiratory disease was made”; “intestinal lesions were consistent with severe Crohn’s Disease” |
| 치료법 | “The patient was immediately intubated and antitubercular therapy was initiated”; “treatment was initiated with low-dose corticosteroids, anticoagulants, and vasodilators” |
| 시술 | “Following kidney biopsy, renal cysts were excised laparoscopically”; “the patient underwent three skin grafts”; “an emergency arteriogram showed smooth segmental narrowing and bilateral vasospasm” |
| 합병증/문제점 | “Additional history revealed that he had been ingesting ergotamine preparations for a number of years to relieve chronic muscle pain”; “laparoscopic access to the duodenum was inhibited by intra-abdominal fat” |
| 결과 | “patient was asymptomatic on subsequent visits,” “although scapular swelling subsided, she continued to report severe back pain for the following month,” “...resulting in significant improvement within 4 hours and resolution of symptoms within 48 hours” |

3. 고찰/결론 (1-2 문장)— 해당 사례에서 임상적 영향 및/또는 결과를 간략히 요약하고 이에 대한 시사점을 제안합니다. 해당 사례가 어떻게 더 광범위한 결과를 가져올 수 있는지 보여주고, 유의해야 할 사항이나 향후 연구되어야 할 흥미로운 주제를 제시합니다.

예시: “This case illustrates the potential for severe vascular ischemia and the importance of a thorough medical history”; “Recognition of this disease is critical for institution of appropriate therapy and prevention of cutaneous necrosis”; “This case

demonstrates the need for further investigation of the potential for internal tissue trauma due to laparoscopic procedures.”

| 포함할 내용 | 예시 |
|------------------|---|
| 전반적인 임상적 영향 및 결과 | “Each of these tests has a high negative predictive value but a poor positive predictive value”; “Identifying and reporting anomalous enzymes is an important service the clinical lab technician can provide a clinician” |
| 제안/고려사항 | “Even when strict protocol is followed, clinicians must remain alert to the potential for medical errors related to misinterpretation of laboratory test results based on similar samples”; “SRED should be considered a possible complication of sedative hypnotics” |
| 해당 사례의 특이 결과 | “An atypical isoenzyme test may result from a macroenzyme, the presence of which can complicate interpretation of the test result and may lead to further unnecessary procedures”; “Antiviral therapy may significantly reduce mortality for patients who have risk factors identified” |

의료 사례 보고서 초록 템플릿

샘플 #1: 상해 사례

We herein report a case of a [환자 연령 및 성별] with an unusual case of [부상]. The [부상] consisted of features typical of [부상/질병/장애의 공통적인 특징], with additional [해당 사례의 기타 특징 (해당된다면)], signifying a [진단내용/합병증]. Features of this case are discussed together with its implications, including [해당 사례의 결과]. [추가 조치—치료/수술/등.] was undertaken due to [조치에 해당하는 이유].

샘플 #2: 질병/장애 사례

[질병/장애] is a rare condition characterized by [증상]. Its presentation is usually [sporadic/chronic/acute]. Usually seen in patients who are [환자의 인구학적 특징], [질병] presentation in [환자의 특정 범주] is rare. Symptoms at presentation depend on [신체의 부위/환자의 환경]. Patients with [질병/장애] may present with [주요 증상]. We herein report a rare presentation of [질병/장애] in a [환자 특징—연령/성별/인종/등.] who suffered from [해당 증상 또는 동반된 질병]. [진단/테스트] revealed [테스트 결과/합병증]. The patient underwent [수술/치료법] and was given [약물/삽관/등.]. Recovery was [경과에 대한 설명]. In spite of a wide range of therapeutic options for the management of [질병/장애] described in the literature, the efficacy of those available therapies is [unknown/not well established/open/etc.].

학술 논문 작성법과 저널 투고 과정에 대한 더 많은 정보를 원하신다면, 에세이리뷰의 Resource 페이지를 방문해주세요.

[URL https://essayreview.co.kr/academy-academic/](https://essayreview.co.kr/academy-academic/)

click